

WHAT IS CLAIMED IS:

1. A method of operating an on-the-shelf inventory management system, the system having a current reporting period table
5 that has a number of rows, a number of columns, and a number of fields, each field having an initial value, the method including the steps of:
- collecting a plurality of transaction data blocks;
 - constructing a temporary table having a plurality of fields that
10 correspond with the current reporting period table, and processing the plurality of transaction data blocks to determine a calculated value for each field in the temporary table;
 - adding each calculated value of a field in the temporary table to an existing value in a corresponding field in the current reporting period
15 table; and
 - determining, for each item in the current reporting period table, if an alert condition exists, and issuing an alert when an alert condition exists.
- 20 2. The method of claim 1 and further comprising the step of returning to the collecting step to collect a next plurality of transaction data blocks.
3. The method of claim 1 and further comprising the steps of:
- 25 initializing each field in the current reporting period table before the collecting step;
- determining if a current reporting period is over;
 - when the current reporting period is not over, returning to the collecting step; and

10518521v1

076883-0268936

when the current reporting period is over, returning to the initializing step.

4. The method of claim 3 wherein a variable n is set to an initial value in the initializing step, and the plurality of transaction data blocks are collected every n th time period.

5. The method of claim 4 and further comprising the steps of:
determining if a number of transaction data blocks have been stored in an external memory;
copying the transaction data blocks from the external memory to an internal memory when the number of transaction data blocks have been stored in the external memory;
determining whether an n th time period has expired after the transaction data blocks have been copied, or when the number of transaction data blocks has not been stored in an external memory;
returning to the determining step when the n th time period has not expired; and
moving to the constructing temporary table step when the n th time period has expired.

6. The method of claim 5 and further comprising the step of incrementing the variable n after the determining, for each item step.

7. The method of claim 1 wherein the determining, for each item step includes the steps of:
outputting a database request to a database;
receiving a measurement number from the database;

comparing the measurement number with an existing value in the current reporting table to form a difference value;

determining whether the difference value falls within a predetermined acceptance range; and

5 issuing an alert command when the difference value does not fall with the predetermined acceptance range.

8. The method of claim 7 and further comprising the steps of:
determining if more items remain to be compared after issuing
10 the alert command, or when the difference value does fall with the predetermined acceptance range; and
returning to the outputting step when more items remain to be compared.

15 9. The method of claim 7 and further comprising the steps of:
determining whether an alert command has been received, the alert command identifying an item;
when an alert command is received, determining whether the item identified by the alert command has been blocked;
20 when the item has not been blocked, issuing an alert.

10. The method of claim 9 wherein the alert includes a page.

11. The method of claim 9 wherein the alert includes an e-
25 mail.

12. The method of claim 9 and further comprising the step of adding an identifier and a time stamp to an alert log to record the alert.

13. The method of claim 12 and further comprising the steps
of:

determining whether a response to an alert has been received;
when a response to an alert is received, identifying the sender,
5 determining a type of response, and adding a record to the alert log;
determining whether the response is of a predetermined type;
and
when the response is of the predetermined type, adding the item
that corresponds with the alert to a blocked log.

10

14. The method of claim 13 wherein the predetermined type
includes an out-of-stock condition.

15. The method of claim 13 and further comprising the steps
15 of:

determining whether an alert has been received;
when an alert has been received, inspecting a shelf location that
corresponds with the item that corresponds with the alert;
selecting a descriptor to describe a condition of the shelf location;
20 transmit descriptor back to alert device; and
taking necessary corrective action.

16. The method of claim 1 and further comprising the steps of:
determining whether an alert has been received;
25 when an alert has been received, inspecting a shelf location that
corresponds with the item that corresponds with the alert;
selecting a descriptor to describe a condition of the shelf location;
transmitting the descriptor back to the alert device; and
taking necessary corrective action.

17. A method of operating an on-the-shelf inventory management system, the system measuring a number of units of an item that has been sold, and outputting an alert when the number of
5 units of the item that has been sold falls below a statistical measure of a number of units that are expected to have been sold, the method including the steps of:

determining whether an alert has been received;
when an alert has been received, inspecting a shelf location that
10 corresponds with the item;
selecting a descriptor to describe a condition of the shelf location;
transmitting a descriptor back to the system.

18. The method of claim 17 and further comprising the step of
15 taking necessary corrective action.

19. An on-the-shelf inventory management system, the system having a current reporting period table that has a number of rows, a number of columns, and a number of fields, each field having an initial
20 value, the system comprising:

a computer having:
means for collecting a plurality of transaction data blocks;
means for constructing a temporary table having a plurality
of fields that correspond with the current reporting period table, and
25 processing the plurality of transaction data blocks to determine a
calculated value for each field in the temporary table;
means for adding the calculated value for each field in the
temporary table to an existing value in each corresponding field in the
current reporting period table; and

PATENT

means for determining, for each item in the current reporting period table, if an alert condition exists, and issuing an alert when an alert condition exists.

5

10518521v1

076883-0268936

-21